

Form – IV
(See rule13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the

preceding year, by the occupier of health care facility (HCF)

SL No	Particulars		
1	Particulars of the Occupier		
	(i) Name of the authorized person (occupier of facility)	:	MANAGING DIRECTOR
	(ii) Name of HCF :	:	DR. S PARAMESH
	(iii) Address for Correspondence :	:	M/s. Sree Siddaganga Hospitals Pvt Ltd
	(iv) Address of Facility	:	SREE SIDDAGANGA HOSPITAL PVE LTD
	(v) Tel. No, Fax No	:	BH ROAD, TUMKUR
	(vi) E-mail ID :	:	SREE SIDDAGANGA HOSPITAL PVE LTD
	(vii) URL of Website	:	BH ROAD, TUMKUR
	(viii) GPS coordinates of HCF or CBMWTF	:	0816 - 6602222
	(ix) Ownership of HCF or CBMWTF :	:	Sreesiddaganga.hospital@gmail.com
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	—
	(xi) Status of Consents under Water Act and Air Act :	:	—
	(xii) Type of Health Care Facility :	:	(State Government or Private or Semi Govt. or any other)
	2	(i) Bedded Hospital :	:
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary		:	BMWL/3017/343, 30/09/2021
(iii) License number and its date of expiry		:	Valid up to: 30/09/2021
(iv) Details of CBMWTF :		:	AWL - 304269
3	(i) Number healthcare facilities covered by CBMWTF:	:	PRIVATE
	(ii) No of beds covered by CBMWTF :	:	No. of Beds :-200
	(iii) Installed treatment and disposal capacity of CBMWTF	:	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	
	(v) Details of CBMWTF :	:	Not Applicable. MEDICARE
	(vi) Number healthcare facilities covered by CBMWTF:	:	Not Applicable.
	(vii) No of beds covered by CBMWTF :	:	Not Applicable.
	(viii) Installed treatment and disposal capacity of CBMWTF	:	Kg per Day: Not Applicable
(ix) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA	
(x) Details of CBMWTF :	:	Kg per Day: Not Applicable.	
(xi) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA	

4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	<table border="1"> <tr> <td>Yellow Category</td> <td>: 9432 Kgs / Annum</td> </tr> <tr> <td>Red Category</td> <td>: 8088 Kgs / Annum</td> </tr> <tr> <td>White</td> <td>: 3960 Kgs / Annum.</td> </tr> <tr> <td>Blue Category</td> <td>: 5400 Kgs / Annum</td> </tr> <tr> <td colspan="2">General Solid Waste: Please mention qty</td> </tr> </table>	Yellow Category	: 9432 Kgs / Annum	Red Category	: 8088 Kgs / Annum	White	: 3960 Kgs / Annum.	Blue Category	: 5400 Kgs / Annum	General Solid Waste: Please mention qty																																								
Yellow Category	: 9432 Kgs / Annum																																																		
Red Category	: 8088 Kgs / Annum																																																		
White	: 3960 Kgs / Annum.																																																		
Blue Category	: 5400 Kgs / Annum																																																		
General Solid Waste: Please mention qty																																																			
5	<table border="1"> <tr> <td colspan="3">Details of The Storage, treatment, transportation, processing and Disposal Facility</td> </tr> <tr> <td data-bbox="225 689 703 875">(i)Details Of on-site Storage Facility</td> <td colspan="2"> <table border="1"> <tr> <td>Size :</td> <td>Not Applicable. NA</td> </tr> <tr> <td>Capacity :</td> <td>NA</td> </tr> <tr> <td colspan="2">Provision On-sit Storage :(Cold Storage or any other provision)</td> </tr> </table> </td> </tr> <tr> <td data-bbox="225 875 703 1859">(ii)Disposal Facilities</td> <td data-bbox="703 875 804 1859"> <table border="1"> <tr> <td>Type of Treatment Equipment</td> <td>No of Units</td> <td>Capacity In kgs Pre Day</td> <td>Quantity Treated or Disposed in kgs per day</td> </tr> </table> </td> <td data-bbox="804 875 1375 1859"> <table border="1"> <tr> <td>a)Incinerators:</td> <td>Not Applicable.</td> </tr> <tr> <td>b)Plasma Pyrolysis:</td> <td>Not Applicable.</td> </tr> <tr> <td>c)Autoclaves:</td> <td>Not Applicable</td> </tr> <tr> <td>d)Microwaves:</td> <td>Not Applicable.</td> </tr> <tr> <td>e)Hydroclave:</td> <td>Not Applicable</td> </tr> <tr> <td>f)Shredder:</td> <td>Not Applicable</td> </tr> <tr> <td>g)Needle tip Cutter:</td> <td>Not Applicable</td> </tr> <tr> <td>or Destroyer:</td> <td>Not Applicable</td> </tr> <tr> <td>i)encapsulation or:</td> <td>Not Applicable</td> </tr> <tr> <td>Concrete Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>j)Concrete Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>i)Deep Burial Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>j)Chemical Disinfection :</td> <td>Not Applicable</td> </tr> <tr> <td colspan="2">or any other treatment : Not Applicable</td> </tr> <tr> <td colspan="2">Equipment:</td> </tr> </table> </td> </tr> </table>		Details of The Storage, treatment, transportation, processing and Disposal Facility			(i)Details Of on-site Storage Facility	<table border="1"> <tr> <td>Size :</td> <td>Not Applicable. NA</td> </tr> <tr> <td>Capacity :</td> <td>NA</td> </tr> <tr> <td colspan="2">Provision On-sit Storage :(Cold Storage or any other provision)</td> </tr> </table>		Size :	Not Applicable. NA	Capacity :	NA	Provision On-sit Storage :(Cold Storage or any other provision)		(ii)Disposal Facilities	<table border="1"> <tr> <td>Type of Treatment Equipment</td> <td>No of Units</td> <td>Capacity In kgs Pre Day</td> <td>Quantity Treated or Disposed in kgs per day</td> </tr> </table>	Type of Treatment Equipment	No of Units	Capacity In kgs Pre Day	Quantity Treated or Disposed in kgs per day	<table border="1"> <tr> <td>a)Incinerators:</td> <td>Not Applicable.</td> </tr> <tr> <td>b)Plasma Pyrolysis:</td> <td>Not Applicable.</td> </tr> <tr> <td>c)Autoclaves:</td> <td>Not Applicable</td> </tr> <tr> <td>d)Microwaves:</td> <td>Not Applicable.</td> </tr> <tr> <td>e)Hydroclave:</td> <td>Not Applicable</td> </tr> <tr> <td>f)Shredder:</td> <td>Not Applicable</td> </tr> <tr> <td>g)Needle tip Cutter:</td> <td>Not Applicable</td> </tr> <tr> <td>or Destroyer:</td> <td>Not Applicable</td> </tr> <tr> <td>i)encapsulation or:</td> <td>Not Applicable</td> </tr> <tr> <td>Concrete Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>j)Concrete Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>i)Deep Burial Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>j)Chemical Disinfection :</td> <td>Not Applicable</td> </tr> <tr> <td colspan="2">or any other treatment : Not Applicable</td> </tr> <tr> <td colspan="2">Equipment:</td> </tr> </table>	a)Incinerators:	Not Applicable.	b)Plasma Pyrolysis:	Not Applicable.	c)Autoclaves:	Not Applicable	d)Microwaves:	Not Applicable.	e)Hydroclave:	Not Applicable	f)Shredder:	Not Applicable	g)Needle tip Cutter:	Not Applicable	or Destroyer:	Not Applicable	i)encapsulation or:	Not Applicable	Concrete Pit:	Not Applicable	j)Concrete Pit:	Not Applicable	i)Deep Burial Pit:	Not Applicable	j)Chemical Disinfection :	Not Applicable	or any other treatment : Not Applicable		Equipment:	
Details of The Storage, treatment, transportation, processing and Disposal Facility																																																			
(i)Details Of on-site Storage Facility	<table border="1"> <tr> <td>Size :</td> <td>Not Applicable. NA</td> </tr> <tr> <td>Capacity :</td> <td>NA</td> </tr> <tr> <td colspan="2">Provision On-sit Storage :(Cold Storage or any other provision)</td> </tr> </table>		Size :	Not Applicable. NA	Capacity :	NA	Provision On-sit Storage :(Cold Storage or any other provision)																																												
Size :	Not Applicable. NA																																																		
Capacity :	NA																																																		
Provision On-sit Storage :(Cold Storage or any other provision)																																																			
(ii)Disposal Facilities	<table border="1"> <tr> <td>Type of Treatment Equipment</td> <td>No of Units</td> <td>Capacity In kgs Pre Day</td> <td>Quantity Treated or Disposed in kgs per day</td> </tr> </table>	Type of Treatment Equipment	No of Units	Capacity In kgs Pre Day	Quantity Treated or Disposed in kgs per day	<table border="1"> <tr> <td>a)Incinerators:</td> <td>Not Applicable.</td> </tr> <tr> <td>b)Plasma Pyrolysis:</td> <td>Not Applicable.</td> </tr> <tr> <td>c)Autoclaves:</td> <td>Not Applicable</td> </tr> <tr> <td>d)Microwaves:</td> <td>Not Applicable.</td> </tr> <tr> <td>e)Hydroclave:</td> <td>Not Applicable</td> </tr> <tr> <td>f)Shredder:</td> <td>Not Applicable</td> </tr> <tr> <td>g)Needle tip Cutter:</td> <td>Not Applicable</td> </tr> <tr> <td>or Destroyer:</td> <td>Not Applicable</td> </tr> <tr> <td>i)encapsulation or:</td> <td>Not Applicable</td> </tr> <tr> <td>Concrete Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>j)Concrete Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>i)Deep Burial Pit:</td> <td>Not Applicable</td> </tr> <tr> <td>j)Chemical Disinfection :</td> <td>Not Applicable</td> </tr> <tr> <td colspan="2">or any other treatment : Not Applicable</td> </tr> <tr> <td colspan="2">Equipment:</td> </tr> </table>	a)Incinerators:	Not Applicable.	b)Plasma Pyrolysis:	Not Applicable.	c)Autoclaves:	Not Applicable	d)Microwaves:	Not Applicable.	e)Hydroclave:	Not Applicable	f)Shredder:	Not Applicable	g)Needle tip Cutter:	Not Applicable	or Destroyer:	Not Applicable	i)encapsulation or:	Not Applicable	Concrete Pit:	Not Applicable	j)Concrete Pit:	Not Applicable	i)Deep Burial Pit:	Not Applicable	j)Chemical Disinfection :	Not Applicable	or any other treatment : Not Applicable		Equipment:																
Type of Treatment Equipment	No of Units	Capacity In kgs Pre Day	Quantity Treated or Disposed in kgs per day																																																
a)Incinerators:	Not Applicable.																																																		
b)Plasma Pyrolysis:	Not Applicable.																																																		
c)Autoclaves:	Not Applicable																																																		
d)Microwaves:	Not Applicable.																																																		
e)Hydroclave:	Not Applicable																																																		
f)Shredder:	Not Applicable																																																		
g)Needle tip Cutter:	Not Applicable																																																		
or Destroyer:	Not Applicable																																																		
i)encapsulation or:	Not Applicable																																																		
Concrete Pit:	Not Applicable																																																		
j)Concrete Pit:	Not Applicable																																																		
i)Deep Burial Pit:	Not Applicable																																																		
j)Chemical Disinfection :	Not Applicable																																																		
or any other treatment : Not Applicable																																																			
Equipment:																																																			

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	(i) Red Category (like plastic, glass etc.)
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	: Not applicable and all waste is disposing with Medicare(CBWTF). Not Applicable. 01
	(v) Details of incineration ash and ETP sludge	:	Not Applicable.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Medicare Environmental Management Pvt. Ltd., Ramky House, Site No. 25-30, 2nd Cross, Raghavendra Nagar, Hennur Ring Road, Kalyan Nagar, Bangalore - 43
	(vii) List of member HCF not handed over bio-medical waste.	:	Not Applicable.
6	Do you have bio-medical waste management committee? if yes, attach minutes of the meeting held during the reporting period.	:	NO
7	Details trainings conducted on BMW	:	
	(i) Number of trainings conducted on BMW Management.	:	150 CLASSES CONDUCTED
	(ii) number of personnel trained	:	NURSES, HK, DOCTORS, TECHNICIAN
	(iii) number of personnel trained at the time of induction	:	250 + 40 HK STAFF
	(iv) number of personnel not undergone any training so far	:	250
	(v) whether standard manual for training is available?	:	NA
	(vi) any other information	:	YES
8	Details of the accident occurred during the year	:	-
	(i) Number of Accidents occurred (ii) Number of the persons affected	:	-
	(iii) Remedial Action taken (Please attach details if any)	:	-
	(iv) Any Fatality occurred, details.	:	-

9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	Not Applicable.
	Details of Continuous online emission monitoring systems installed	:	Not Applicable.
10	Liquid waste generated and treatment methods in place. how many times you have not met the standards in a year?	:	Chemical Disinfection & Discharge Into Drain.
	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Not Applicable.
12	Any other relevant information	:	(Air Pollution Control Devices Attached With The Incinerator) Not
		:	Applicable.


Certified that the above report is for the period from

JULY-2019 TO JUNE 2020

Date: 04/07/2020

Place: TUMKUR

Name and Signature of the Head of the Institution


Sree Siddaganga Hospitals Pvt. Ltd.,
 CIN No. UA5100KA2015PTC084298
 Dr. Sree Sree Shivakumara Swamy, MD
 (B. H. Road), Tumakuru-572 102
 Email: sreesiddagangahospital@gmail.com
 Ph : 0816-2252805